UNCLASSIFIED AD NUMBER ADA800001 LIMITATION CHANGES TO: Approved for public release; distribution is unlimited. FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 25 JUL 1949. Other requests shall be referred to Department of the Air Force, ATTN: Public Affairs Office, Washington, DC 20330. **AUTHORITY** USAF per RAND ltr dtd 6 Sep 1966

REEL-C 7471

A.T.I 210321

Reproduced by

DOCUMENT SERVICE CENTER

ARMED SERVICES TECHNICAL INFORMATION AGENCY

KNOTT BUILDING, DAYTON, 2, OHIO

"NOTICE: When Government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the U.S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto."

UNCLASSIFIED

Project RAND.

This document contains information affecting the national defense of the United States within the meaning of the Espianage Laws, Title 18 U.S.C., Sections 793 and 794. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law.

NOT TO BE QUOTED, ABSTRACTED, OR REPRODUCED WITHOUT SPECIFIC PERMISSION

RAND Research Memoranda are available to authorized persons or agencies for their use. Further dissemination is not permitted. Distribution to abstracting agencies is not authorized.

This is a working paper. It may be expanded, modified, or withdrawn at

Inolla

Unclassified

PROJECT RAND

RESEARCH MEMORANDUM

. A BOMBER FIGHTER DUEL (II)

David Blackwell and Max Shiffman

RM-193

25 July 1949

Copy No. 102

This document contains information offecting the national defense of the United States within the meaning of the Espianage Laws, Title 18 U.S.C., Sections 793 and 794. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law

Assigned to

NOT TO BE QUOTED, ABSTRACTED, OR REPRODUCED WITHOUT SPECIFIC PERMISSION

RAND Research Memoranda are available to authorized persons or agencies for their use. Further dissemination is not permitted. Distribution to abstracting agencies is not authorized.

This is a working paper. It may be expanded, modified, or withdrawn at

Classification cancelled

or changed to Unclassified

10 pgs.

RECTRIBUTED.

A BOMBER-FIGHTER DUEL (II) . David Blackwell and Max Shiffman

Summary. This memorandum completes the study of the fighterbomber duel described in RM-165. The duel is one in which a fighter fires a single rocket burst at a bomber, which has limited ammunition, and defends itself by intermittent firing. It turns out that, for fixed accuracies and values of the bomber and fighter, the nature of the strategies depends on the amount δ of ammunition at the disposal of the bomber. There are two critical amounts δ_0 , δ_1 ; $\delta_0 \geq \delta_1$. If $\delta < \delta_1$, the bomber starts firing at a specified range at less than maximum intensity and continues firing, with decreasing intensity, until the end of the engagement. If $\delta_1 < \delta < \delta_0$, the bomber starts firing at a specified range, greater than in the preceding case, fires at full intensity for a specified time, and with decreasing intensity for the rest of the engagement. In both cases the fighter uses a mixed strategy, spread over the entire time the bomber is firing at less than maximum intensity, with a positive probability of firing at range 0. This probability decreases as δ increases. For $\delta > \delta_0$, the bomber fires at full intensity from the time the fighter comes within range until a specified time, and decreasing intensity thereafter. There is a certain time, during the period in which the bomber is firing at full intensity, at which the fighter should always fire. Ammunition in excess of δ_0 is useful to the bomber only in case the fighter makes : the mistake of waiting too long before firing.

1. Preliminaries. The game considered has pay-off

$$V(x, p) = A(x) \overline{\Phi}(x, p)$$

$$-\int_{0}^{x} p(y)r(y)dy$$

$$\Phi(x, p) = e$$

where

(

I chooses a number x, $0 \le x \le 1$, while II chooses a function p(y) subject to $0 \le p(y) \le 1$ and $\int_0^1 p(y) dy = \delta$. The member δ and the functions A(x), r(y) are given, and we suppose that A(x), r(y) are non-negative, continuous, and strictly increasing functions on the unit interval. It is known that the best strategy for II is a pure one, while for I it is mixed. Let F(x) be a distribution function in the unit interval (F(x) is monotonically increasing with F(0) = 0, F(1) = 1 describing a possible mixed strategy of I. The expected value of the game is then

$$E[F(x), p(y)] = \int_0^1 A(x) e^{-\int_0^x p(y)r(y)dy} dF(x) .$$

The solution given here for this game applies in the case that. $\frac{A^1(x)}{A(x)r(x)}$ is a decreasing function of x; this will be true for example whenever log A(x) is concave. The extension to the general case can be made, but it is more tedious and seems of little practical importance.

2: The good strategy for the bomber. The good strategy for the bomber can be obtained as in RM-165, using the following lemma proved there:

<u>Lemma</u>. For any two strategies $p_1(y)$, $p_2(y)$, $V(x, p_1) \ge V(x, p_2)$ for all x implies $p_1 = p_2$ almost everywhere (so that $V(x, p_1) = V(x, p_2)$ for all x).

It is also obtained independently on the considerations of §3 below.

Define $m(y) = \frac{A'(y)}{A(y)(y)}$, $w(y) = \min(m(y), 1)$, $\delta_0 = ... \int_0^1 w(y) dy$. We are supposing that m(y) is decreasing, so that w(y) is also decreasing.

CASE I. $\delta \leq \delta_0$. Define $c \neq \int_c^1 w(y) dy = \delta$, $p_0(y) = 0$, y < c, $p_0(y) = w(y)$, $c \leq y \leq 1$. We now prove that p_0 is a good strategy for the bomber.

0

There is a number $d > p_0 = 1$, $c \le y \le d$, $p_0 = m(y)$, $d \le y \le 1$. Concerning d, we see that d = c if $m(c) \le 1$, d = 1 if $m(1) \ge 1$, while d is the unique point where m(d) = 1 if m(c) > 1 and m(1) < 1. We have

$$V(x, p_0) = A(x), 0 \le x \le c$$

$$V(x, p_0) = A(x) e^{-\int_{c}^{x} r(y) dy}, c \le x \le d$$

$$V(d, p_0), d \le x \le 1.$$

For $c \le x \le d$, $V' = V\left[\frac{A'}{A} - r\right]$. Since $m = \frac{A'}{Ar} \ge 1$ in this interval,

 $V' \geq 0$ and V is increasing. Thus max $V(x, p_0) = v(d, p_0)$. Now for any $p \neq p_0$ a.e., the lemma asserts that there is an x^* with $V(x^*, p) > V(x^*, p_0)$. This x^* must exceed c, since no V(x, p) can exceed c, for any c. If $c \leq x^* \leq d$, we shall show that $V(d, p) \geq V(d, p_0)$. We have

$$V(d, p) = \frac{A(d)}{A(x)} V(x^*, p)e^{-\int_{x}^{d} p(y)r(y)dy}$$

$$V(d, p_0) = \frac{A(d)}{A(x)} V(x^*, p_0) e^{-\int_{x}^{d} r(y) dy}$$

Comparison shows $V(d, p) \ge V(d, p_0)$. Thus for any p, max $V(x, p) \ge V(d, p_0)$; po is a good strategy, and the value of the game is $V(d, p_0)$.

Case II. $S > S_0$. Any $p_0 \neq p_0(y) \geq w(y)$ for all y turns out to be a good strategy in this case. Clearly, for any such p_0 , $V(x, p_0) \leq V(x, w)$ for all x so that max $V(x, p_0) \leq \max_{x} V(x, w)$. We show that, for any p, max $V(x, p) \geq \max_{x} V(x, w)$. We have

$$V(x, w) = \begin{cases} -\int_{0}^{x} r(y) dy \\ 0 & 0 \le x \le d \end{cases}$$

$$V(x, w) = \begin{cases} v(d, w) & 0 \le x \le 1 \end{cases}$$

As in Case I, $\max_{\mathbf{x}} V(\mathbf{x}, \mathbf{w}) = V(\mathbf{x}, \mathbf{d})$. Moreover, for any p,

RESTRICTED

$$V(d, p) = \Lambda(d)e \qquad \qquad \sum_{o} V(d, w) .$$

Thus the value of the game is V(d, w), and any $p_0 \ge w$ is a good strategy.

3: A good strategy for the fighter. The fighter will select a mixed strategy as its good strategy. This will be obtained by using the following well-known inequality:

$$\int_{0}^{1} e^{-\emptyset(x)} dF(x) \geq e^{-\int_{0}^{1} \emptyset(x) dF(x)}$$

valid for any distribution function F(x) and Borel measurable function $\mathcal{G}(x)$, with the equality sign holding if and only if $\mathcal{G}(x)$ is constant except on a set of F-measure O (this is a general inequality valid for an arbitrary convex function in place of the exponential).

In the expression for $\mathbf{E}[F(x), p(y)]$ write the integrand as

$$-\left[\int_{0}^{x} p(y)r(y)dy-\log A(x)\right]$$

and apply the inequality, there results

(1)
$$E[F(x), p(y)] \geq h[F(x), p(y)]$$

where

(2)
$$h[F, p] = e^{-\int_0^1 \left[\int_0^X p(y)r(y)dy - \log A(x)\right]} dF(x)$$



Integrating by parts in the exponential, me obtain

10g h[F, p] =
$$-\int_0^1 p(y)r(y^2) dy + \log A(1)$$

$$+\int_0^1 F(x) \int p(x)r(x) - \frac{A'(x)}{A(x)} dx$$

$$= \int_0^1 \left\{ F(x) - 1 \right\} p(x)r(x)dx + \log A(1)$$

$$-\int_0^1 F(x) \int_{F(x)}^{A(x)} dx$$

(We will apply the above formulas to a part icular distribution which vanishes identically near x=0, so there is no difficulty in the integration by parts concerning the term $\log A(x)$ in case A(0)=0). In this expression for log h, the only terms containing p(x) is $\int_0^1 \left\{ F(x) - 1 \right\} p(x) r(x) dx, \text{ while } p(x) \text{ must satisfy the condition}$ $\int_0^1 p(x) dx = \delta. \text{ This suggests selecting and distribution } F(x) \text{ for which } (F(x)-1) r(x) = \text{constant. This suggestion will provide us with a good strategy for the fighter.}$

<u>Case I.</u> (See discussion of Case I in $\S 2$.) Define c and d as in the discussion of $\S 2$.

Define the distribution function $F^*(x)$ by

(4)
$$\mathbf{F}^{*}(x) = \begin{cases} 0 & \text{for } x < d \\ 1 - \frac{\mathbf{r}(c)}{\mathbf{r}(x)} & \text{for } d < x < 1 \\ 1 & \text{for } x = 1 \end{cases}$$

RESTRICTED.

From (3), we have

$$\log h[F^*, p] = -\int_0^d p(x)r(x)dx - r(c)\int_d^1 p(x)dx$$

$$+ \log A(1) - \log \frac{A(1)}{A(d)} + r(c)\int_d^1 \frac{A'(x)}{A(x)r(x)} dx.$$

But
$$\int_{d}^{1} p(x)dx = S - \int_{0}^{d} p(x)dx$$
,

and
$$\int_{d}^{1} \frac{A'(x)}{A(x)r(x)} dx + \int_{c}^{d} 1 \cdot dx = \delta.$$

Thus

$$\log h[f^*, p] = -\int_0^d p(x)r(x)dx + r(e) \int_0^d p(x)dx$$

$$+ \log A(d) - r(e) \cdot \int_e^d 1 \cdot dx$$

$$= \log A(d) + \int_0^c \left\{ r(e) - r(x) \right\} p(x)dx$$

$$+ \int_e^d \left\{ 1 - p(x) \right\} \left\{ r(x) - r(e) \right\} dx - \int_e^d r(x)dx$$

$$= \log A(d) - \int_e^d r(x)dx + \int_0^c \left\{ r(e) - r(x) \right\} p(x)dx$$

$$+ \int_e^d \left\{ 1 - p(x) \right\} \left\{ r(x) - r(e) \right\} dx$$

$$\geq \log A(d) - \int_e^d r(x)dx$$

with equality holding only if p(x) = 0 in 0 < x < c, p(x) = 1 in c < x < d. Thus

(5)
$$h \cdot [f^*, p] \ge A(d)e^{-\int_{\mathbf{c}}^{\mathbf{d}} \mathbf{r}(x) dx}$$

with equality holding if and only if p(x) = 0 in 0 < x < c, and p(x) = 1 in c < x < d.

For the distribution $F^*(x)$, the equality sign in (1) holds if and only if $\int_0^x p(y)r(y)dy - \log A(x) = \text{constant}$ in d < x < 1, or $p(x) = \frac{A(x)}{A(x)r(x)}$ in this interval. We have therefore finally obtained, as a result of (1) and (5),

(6)
$$A(d)e^{-\int_{c}^{d} r(x)dx} \leq E[F^{*}(x), p(y)]$$

with equality holding if and only if $p(y) = p_0(y)$.

On the other hand, an elementary discussion for the case $p_0(y)$, which is of course included in δ 2, shows that

(7)
$$\mathbf{E}[F(\mathbf{x}), p_0(\mathbf{y})] \leq A(\mathbf{d}) e^{-\int_{\mathbf{c}}^{\mathbf{d}} \mathbf{r}(\mathbf{x}) d\mathbf{x}}$$

The combination of these two inequalities, (6) and (7), shows that $F^*(x)$ is a good strategy for the fighter, and $p_0(y)$ the only good strategy for the bomber, with the value of the game being

$$\frac{1}{\Lambda(d)e} \int_{c}^{d} r(x) dx$$



Case II. In this case, set

$$F^*(x) = \begin{cases} 0 & x < d \\ 1 & d < x < 1 \\ 1 & x = 1 \end{cases}$$

Then

$$\mathbf{E}\left[\mathbf{F}^*(\mathbf{x}), \mathbf{p}(\mathbf{y})\right] = \mathbf{A}(\mathbf{d})\mathbf{e}^{-\int_{\mathbf{0}}^{\mathbf{d}} \mathbf{p}(\mathbf{y})\mathbf{r}(\mathbf{y})d\mathbf{y}} \ge \mathbf{A}(\mathbf{d})\mathbf{e}^{-\int_{\mathbf{0}}^{\mathbf{d}} \mathbf{r}(\mathbf{y})d\mathbf{y}}$$

with equality holding if and only if p(y) = 1 in 0 < y < d. But this is the value of the game obtained in §2 for this case, so that $F^*(x)$ is a good strategy for the fighter.

REEL-C Z Z

A.T.I 21032

Reproduced by

DOCUMENT SERVICE CENTER

ARMED SERVICES TECHNICAL INFORMATION AGENCY

KNOTT BUILDING, DAYTON, 2, OHIO

"NOTICE: When Government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the U.S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto."

UNCLASSIFIED

18/7 STI-ATI	(-210 321 JG.	6600 UNCLASSIFIED
	orp., Salita Monica, C	Calif. 15/6
		by David Blackwell and Max
Shiffma	1. Research memo. 25	July 49, 9p. (Rept. no., RM-193)
DIV: I	Military Sciences &	SUBJECT HEADINGS
,	Operations (18)	Strategy .
SECT: S	Strategy & Tactics (7)	Warfare, Aerial
		Airplanes, Bomber
	``	Airplanes, Fighter
	&AAA AA1	
וופח ווותו ותחו וותוססו ו	OD III OD III OD III II OD III	ASTIA-DSC / / / /
	TRUI VOIM SKID IR IRE	* As al War ture
t HADION 1881 HOLD GATO	ABIN RINU CAIDI NAI IRAN	Helio
		ASTIA-DSC # Aerich Wan Fare Military Tactics UNCLASSIFIED 6 Sep66
0-	D . 1	UNCLASSIFIED
GOTT PR	r Rand for	, 6 Sep 6 b